

Method of harvest in North Carolina by BMU, based on 2009 through 2021 registered harvest.

| Year | Coastal Plain | | | Mountains | | | Piedmont | |
|-------------|----------------------|------------|----------------|------------------|------------|----------------|-----------------|------------|
| | Still | Dog | Unknown | Still | Dog | Unknown | Still | Dog |
| 2009 | 39% | 59% | 1.7% | 33% | 66% | 0.3% | 100% | 0% |
| 2010 | 36% | 64% | 0.1% | 15% | 84% | 0.3% | 0% | 0% |
| 2011 | 31% | 69% | 0.1% | 27% | 73% | 0% | 100% | 0% |
| 2012 | 36% | 64% | 0.2% | 24% | 76% | 0% | 67% | 33% |
| 2013 | 33% | 67% | 0% | 30% | 70% | 0% | 50% | 50% |
| 2014 | 37% | 63% | 0.1% | 14% | 86% | 0% | 75% | 25% |
| 2015 | 37% | 63% | 0% | 26% | 74% | 0% | 90% | 10% |
| 2016 | 38% | 62% | 0% | 27% | 73% | 0% | 70% | 30% |
| 2017 | 40% | 60% | 0% | 30% | 70% | 0% | 87% | 13% |
| 2018 | 41% | 59% | 0% | 38% | 62% | 0% | 74% | 26% |
| 2019 | 40% | 60% | 0% | 30% | 70% | 0% | 78% | 22% |
| 2020 | 44% | 56% | 0% | 33% | 67% | 0% | 84% | 16% |
| 2021 | 43% | 57% | 0% | 31% | 69% | 0% | 81% | 19% |